

M12 thread design – male

Old:



- SPEEDCON thread
- Thread surface: nickel
- Knurl surface: nickel

New:



- M12x1 full thread
- Thread surface: tin
- Knurl surface: nickel

Product change notification – CBF210049 – SACC M12 QO SH Redesign

M12 thread design – female

Old:



- SPEEDCON thread
- Thread surface: nickel
- Knurl surface: nickel

New:



- M12x1 full thread
- Thread surface: tin
- Knurl surface: nickel

Sealing of cable gland

Old:

- Cable outer diameter: 5 mm ... 9.7 mm
- Material: NBR
- Color: black

New:

- Cable outer diameter: 5 mm ... 10 mm
- Material: FKM
- Color: black




Sealing ring of clamping cage

Old:



- Sealing ring
 - Material: NBR
 - Color: black

New:



- Sealing ring
 - Material: FKM
 - Color: green

Extended cross wire-section – information on the housing

Old:

- Cross wire-section
 - AWG 26 ... 22
- The cross wire-section of the following articles will be extended
- 1082320 SACC-MSX-8QO SHETH SCO EIA568A
- 1411043 SACC-MSX-8QO SH ETH SCO
- 1414586 SACC-FSX-8QO SH ETH SCO
- 1411069 SACC-FSD-4QO SH ETH SCO
- 1421680 SACC-FS-8QO SH ETH SCO
- 1421679 SACC-MS-8QO SH ETH SCO
- 1061695 SACC-MSD-4QO SH ETH SCO RX-L
- 1411066 SACC-MSD-4QO SH ETH SCO

New:

- Cross wire-section
 - AWG 26 ... 20



Extended cross wire-section – information on the housing

Old:

- Cross wire-section
 - AWG 24 ... 20
- The cross wire-section of the following articles will be extended

- 1411044 SACC-MSX-8QO SH PN SCO
- 1414587 SACC-FSX-8QO SH PN SCO
- 1411071 SACC-FSD-4QO SH PN SCO
- 1411068 SACC-MSD-4QO SH PN SCO
- 1084484 SACC-MS-4QO-0,75 SH SCO BE-RN

New:

- Cross wire-section
 - AWG 26 ... 20




Flange color of female connectors

Old:



- Female flange color: light grey
- Male flange color: grey

New:



- Female flange color: grey
- Male flange color: grey, no change

UPDATE


Product change notification – CBF210049 – SACC M12 QO SH Redesign

Article description from Speedcon to Standard M12 (full thread)

In case of the change from Speedcon to Standard M12 (full thread), the article description has to be changed.

Example:

SACC-MSX-8QO SH ETH SCO



SACC-M12MSX-8QO SH ETH

The new descriptions of each articles are included in the attached excel sheet.