



Product Change Notification

Date Issued :	August 11, 2023	PCN Number :	513498
Reason for Change :	Packaging Method/Quantity Changing		
Description of Change :	PCQC DU change due to system correction. The purpose of the change is to align , commanise and make the MLQ and DU global. As a result there is DU change, however the Fit, Form and Function remains the same. The Reason for the change is a corrective action, in that to reduce the incoherences caused between DU and MLQ. The Change is implemented by standardizing the MLQ and DU.		
Reason for Short Notice :	Corrective Actions		
Assessment of Change :	No change to parts - Form/Fit/Function		
Planned Implementation Date :	August 25, 2023		
Sample Availability Date:	August 25, 2023		
Internal Molex Qualification Date :	August 25, 2023		
Last date to request Samples by Customer :	August 11, 2023		

Before Picture

Before

- The DU information communicated in the ERP is incorrect.

After Picture

After

- The DU information in the ERP is updated. No impact to the products' Fit, Form and Function. Part list is attached.

RELEASED

You may address inquires regarding this PCN by clicking on the below link
mailto:pcn_coordinator@molex.com?subject=PCN_Notification:513498
or contact your Local Sales Engineer.

Note: While responding, please retain " PCN Notification : **PCN Notification: 513498** " in the e-mail Subject line for faster response.

[Molex, LLC](#)
2222 Wellington Court
Lisle, IL 60532
TEL (800) 786-6539
www.molex.com