



520 Park East Blvd., New Albany, IN 47150 U.S.A
(812)-944-6733 / 1-800-SAMTEC9

Product Change Notification

1. ECR #: 164007
Notification #: 330


2. Date of Announcement: February 01, 2018

3. Series:
• SSM - .025 SOCKET STRIPS

4. Part #'s Affected
• SSM-1XX-XXX-DH-XX-XX-X-XX-XX

5. Description of Change:
Reduction in size of end-walls of the plastic insulator housing. This will be a rolling change (inventory at current revision will be exhausted prior to implementation).

6. Method of Identifying Change
This change is visible with the unaided eye. New SSM-1XX-XXX-DH-XX-XX-XX-XX-XX will have reduced plastic volume on the end walls and a new chamfer added.



7. Reason for Change:
This change eliminates non-functional thin plastic that has a history of breaking.

8. Impact of Change on Form, Fit, or Function:
• Form - Form - The change will be visible with the unaided eye. There are no anticipated changes to fit or function.

9. Projected Implementation Date: January 28, 2018

Disclaimer

Please review the change notification details listed above for specific information regarding the nature and timing of the change. While Samtec has taken precautions to ensure this change is not detrimental to your application, each application can be unique and therefore customers should consider the effect of the change on their specific application.

Samtec has taken efforts to ensure that all users of this product who have requested change notifications have been informed. However, you should assume that this is the only notification that will be sent and you, as the recipient, must determine how to communicate this information to your organization(s) and customer(s) as appropriate. If you wish to opt out of receiving Samtec Engineering Change Notification emails, please contact CustomerECN@samtec.com. Due to technical progress, specifications are subject to change without notification and it is recommended to provide an alternative contact when opting out.

Please contact Samtec at CustomerECN@samtec.com for any questions related to this change.