



[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

Issued: April 3rd, 2020  
SUB: EOL Notice

Product Type: Surface Mount Inductors  
NIC Series: NMLQ Series

Notification: End of Life Notification

The following is notification of the end of life for NMLQ series of surface mount inductors.

**Effective:** April 3rd, 2020

**Last Order Date:** September 14th, 2020 for established customers with existing business on these part numbers  
**Last Ship Date:** April 3rd, 2021 for established customers with existing business on these part numbers  
**Reason for Discontinuation:** Low Demand

→ Use our [Quickbuilder](#) tool to find other possible alternatives for the discontinued part numbers:  
[https://www.niccomp.com/QuickBUILDER/qb\\_inductor.php](https://www.niccomp.com/QuickBUILDER/qb_inductor.php)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF   |
|------|---------------|-----------------|------|-----------|-----|-------|
| 0201 | NMLQ02B0N6TRF | 0.6             | 0.07 | 0.1nH     | 850 | 10000 |
| 0201 | NMLQ02C0N6TRF | 0.6             | 0.07 | 0.2nH     | 850 | 10000 |
| 0201 | NMLQ02D0N6TRF | 0.6             | 0.07 | 0.3nH     | 850 | 10000 |
| 0201 | NMLQ02B0N7TRF | 0.7             | 0.07 | 0.1nH     | 850 | 10000 |
| 0201 | NMLQ02C0N7TRF | 0.7             | 0.07 | 0.2nH     | 850 | 10000 |
| 0201 | NMLQ02D0N7TRF | 0.7             | 0.07 | 0.3nH     | 850 | 10000 |
| 0201 | NMLQ02B0N8TRF | 0.8             | 0.07 | 0.1nH     | 850 | 10000 |
| 0201 | NMLQ02C0N8TRF | 0.8             | 0.07 | 0.2nH     | 850 | 10000 |
| 0201 | NMLQ02D0N8TRF | 0.8             | 0.07 | 0.3nH     | 850 | 10000 |
| 0201 | NMLQ02B0N9TRF | 0.9             | 0.09 | 0.1nH     | 760 | 10000 |
| 0201 | NMLQ02C0N9TRF | 0.9             | 0.09 | 0.2nH     | 760 | 10000 |
| 0201 | NMLQ02D0N9TRF | 0.9             | 0.09 | 0.3nH     | 760 | 10000 |
| 0201 | NMLQ02B1N0TRF | 1.0             | 0.12 | 0.1nH     | 680 | 10000 |
| 0201 | NMLQ02C1N0TRF | 1.0             | 0.12 | 0.2nH     | 680 | 10000 |
| 0201 | NMLQ02D1N0TRF | 1.0             | 0.12 | 0.3nH     | 680 | 10000 |
| 0201 | NMLQ02B1N1TRF | 1.1             | 0.1  | 0.1nH     | 750 | 10000 |
| 0201 | NMLQ02C1N1TRF | 1.1             | 0.1  | 0.2nH     | 750 | 10000 |
| 0201 | NMLQ02D1N1TRF | 1.1             | 0.1  | 0.3nH     | 750 | 10000 |
| 0201 | NMLQ02B1N2TRF | 1.2             | 0.1  | 0.1nH     | 750 | 10000 |
| 0201 | NMLQ02C1N2TRF | 1.2             | 0.1  | 0.2nH     | 750 | 10000 |
| 0201 | NMLQ02D1N2TRF | 1.2             | 0.1  | 0.3nH     | 750 | 10000 |
| 0201 | NMLQ02B1N3TRF | 1.3             | 0.12 | 0.1nH     | 650 | 10000 |
| 0201 | NMLQ02C1N3TRF | 1.3             | 0.12 | 0.2nH     | 650 | 10000 |
| 0201 | NMLQ02D1N3TRF | 1.3             | 0.12 | 0.3nH     | 650 | 10000 |
| 0201 | NMLQ02B1N4TRF | 1.4             | 0.12 | 0.1nH     | 650 | 10000 |



NIC Components Corp.

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF   |
|------|---------------|-----------------|------|-----------|-----|-------|
| 0201 | NMLQ02C1N4TRF | 1.4             | 0.12 | 0.2nH     | 650 | 10000 |
| 0201 | NMLQ02D1N4TRF | 1.4             | 0.12 | 0.3nH     | 650 | 10000 |
| 0201 | NMLQ02B1N5TRF | 1.5             | 0.12 | 0.1nH     | 650 | 10000 |
| 0201 | NMLQ02C1N5TRF | 1.5             | 0.12 | 0.2nH     | 650 | 10000 |
| 0201 | NMLQ02D1N5TRF | 1.5             | 0.12 | 0.3nH     | 650 | 10000 |
| 0201 | NMLQ02B1N6TRF | 1.6             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C1N6TRF | 1.6             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D1N6TRF | 1.6             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B1N7TRF | 1.7             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C1N7TRF | 1.7             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D1N7TRF | 1.7             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B1N8TRF | 1.8             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C1N8TRF | 1.8             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D1N8TRF | 1.8             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B1N9TRF | 1.9             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C1N9TRF | 1.9             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D1N9TRF | 1.9             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B2N0TRF | 2.0             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C2N0TRF | 2.0             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D2N0TRF | 2.0             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B2N1TRF | 2.1             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C2N1TRF | 2.1             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D2N1TRF | 2.1             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B2N2TRF | 2.2             | 0.14 | 0.1nH     | 610 | 10000 |
| 0201 | NMLQ02C2N2TRF | 2.2             | 0.14 | 0.2nH     | 610 | 10000 |
| 0201 | NMLQ02D2N2TRF | 2.2             | 0.14 | 0.3nH     | 610 | 10000 |
| 0201 | NMLQ02B2N3TRF | 2.3             | 0.16 | 0.1nH     | 560 | 10000 |
| 0201 | NMLQ02C2N3TRF | 2.3             | 0.16 | 0.2nH     | 560 | 10000 |
| 0201 | NMLQ02D2N3TRF | 2.3             | 0.16 | 0.3nH     | 560 | 10000 |
| 0201 | NMLQ02B2N4TRF | 2.4             | 0.16 | 0.1nH     | 560 | 10000 |
| 0201 | NMLQ02C2N4TRF | 2.4             | 0.16 | 0.2nH     | 560 | 10000 |
| 0201 | NMLQ02D2N4TRF | 2.4             | 0.16 | 0.3nH     | 560 | 10000 |
| 0201 | NMLQ02B2N5TRF | 2.5             | 0.16 | 0.1nH     | 560 | 8500  |
| 0201 | NMLQ02C2N5TRF | 2.5             | 0.16 | 0.2nH     | 560 | 8500  |
| 0201 | NMLQ02D2N5TRF | 2.5             | 0.16 | 0.3nH     | 560 | 8500  |
| 0201 | NMLQ02B2N6TRF | 2.6             | 0.16 | 0.1nH     | 560 | 8500  |
| 0201 | NMLQ02C2N6TRF | 2.6             | 0.16 | 0.2nH     | 560 | 8500  |
| 0201 | NMLQ02D2N6TRF | 2.6             | 0.16 | 0.3nH     | 560 | 8500  |
| 0201 | NMLQ02B2N7TRF | 2.7             | 0.19 | 0.1nH     | 510 | 8500  |



NIC Components Corp.

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF  |
|------|---------------|-----------------|------|-----------|-----|------|
| 0201 | NMLQ02C2N7TRF | 2.7             | 0.19 | 0.2nH     | 510 | 8500 |
| 0201 | NMLQ02D2N7TRF | 2.7             | 0.19 | 0.3nH     | 510 | 8500 |
| 0201 | NMLQ02B2N8TRF | 2.8             | 0.2  | 0.1nH     | 500 | 8500 |
| 0201 | NMLQ02C2N8TRF | 2.8             | 0.2  | 0.2nH     | 500 | 8500 |
| 0201 | NMLQ02D2N8TRF | 2.8             | 0.2  | 0.3nH     | 500 | 8500 |
| 0201 | NMLQ02B2N9TRF | 2.9             | 0.2  | 0.1nH     | 500 | 8500 |
| 0201 | NMLQ02C2N9TRF | 2.9             | 0.2  | 0.2nH     | 500 | 8500 |
| 0201 | NMLQ02D2N9TRF | 2.9             | 0.2  | 0.3nH     | 500 | 8500 |
| 0201 | NMLQ02B3N0TRF | 3.0             | 0.2  | 0.1nH     | 500 | 8500 |
| 0201 | NMLQ02C3N0TRF | 3.0             | 0.2  | 0.2nH     | 500 | 8500 |
| 0201 | NMLQ02D3N0TRF | 3.0             | 0.2  | 0.3nH     | 500 | 8500 |
| 0201 | NMLQ02B3N1TRF | 3.1             | 0.2  | 0.1nH     | 500 | 8500 |
| 0201 | NMLQ02C3N1TRF | 3.1             | 0.2  | 0.2nH     | 500 | 8500 |
| 0201 | NMLQ02D3N1TRF | 3.1             | 0.2  | 0.3nH     | 500 | 8500 |
| 0201 | NMLQ02B3N2TRF | 3.2             | 0.2  | 0.1nH     | 500 | 8500 |
| 0201 | NMLQ02C3N2TRF | 3.2             | 0.2  | 0.2nH     | 500 | 8500 |
| 0201 | NMLQ02D3N2TRF | 3.2             | 0.2  | 0.3nH     | 500 | 8500 |
| 0201 | NMLQ02B3N3TRF | 3.3             | 0.2  | 0.1nH     | 500 | 8000 |
| 0201 | NMLQ02C3N3TRF | 3.3             | 0.2  | 0.2nH     | 500 | 8000 |
| 0201 | NMLQ02D3N3TRF | 3.3             | 0.2  | 0.3nH     | 500 | 8000 |
| 0201 | NMLQ02B3N4TRF | 3.4             | 0.2  | 0.1nH     | 500 | 8000 |
| 0201 | NMLQ02C3N4TRF | 3.4             | 0.2  | 0.2nH     | 500 | 8000 |
| 0201 | NMLQ02D3N4TRF | 3.4             | 0.2  | 0.3nH     | 500 | 8000 |
| 0201 | NMLQ02B3N5TRF | 3.5             | 0.2  | 0.1nH     | 500 | 8000 |
| 0201 | NMLQ02C3N5TRF | 3.5             | 0.2  | 0.2nH     | 500 | 8000 |
| 0201 | NMLQ02D3N5TRF | 3.5             | 0.2  | 0.3nH     | 500 | 8000 |
| 0201 | NMLQ02B3N6TRF | 3.6             | 0.2  | 0.1nH     | 500 | 7000 |
| 0201 | NMLQ02C3N6TRF | 3.6             | 0.2  | 0.2nH     | 500 | 7000 |
| 0201 | NMLQ02D3N6TRF | 3.6             | 0.2  | 0.3nH     | 500 | 7000 |
| 0201 | NMLQ02B3N7TRF | 3.7             | 0.2  | 0.1nH     | 500 | 7000 |
| 0201 | NMLQ02C3N7TRF | 3.7             | 0.2  | 0.2nH     | 500 | 7000 |
| 0201 | NMLQ02D3N7TRF | 3.7             | 0.2  | 0.3nH     | 500 | 7000 |
| 0201 | NMLQ02B3N8TRF | 3.8             | 0.2  | 0.1nH     | 500 | 7000 |
| 0201 | NMLQ02C3N8TRF | 3.8             | 0.2  | 0.2nH     | 500 | 7000 |
| 0201 | NMLQ02D3N8TRF | 3.8             | 0.2  | 0.3nH     | 500 | 7000 |
| 0201 | NMLQ02B3N9TRF | 3.9             | 0.25 | 0.1nH     | 440 | 7000 |
| 0201 | NMLQ02C3N9TRF | 3.9             | 0.25 | 0.2nH     | 440 | 7000 |
| 0201 | NMLQ02D3N9TRF | 3.9             | 0.25 | 0.3nH     | 440 | 7000 |
| 0201 | NMLQ02C4N3TRF | 4.3             | 0.3  | 0.2nH     | 400 | 6000 |



NIC Components Corp.

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF  |
|------|---------------|-----------------|------|-----------|-----|------|
| 0201 | NMLQ02D4N3TRF | 4.3             | 0.3  | 0.3nH     | 400 | 6000 |
| 0201 | NMLQ02H4N3TRF | 4.3             | 0.3  | 3%        | 400 | 6000 |
| 0201 | NMLQ02J4N3TRF | 4.3             | 0.3  | 3%        | 400 | 6000 |
| 0201 | NMLQ02C4N7TRF | 4.7             | 0.35 | 0.2nH     | 370 | 6000 |
| 0201 | NMLQ02D4N7TRF | 4.7             | 0.35 | 0.3nH     | 370 | 6000 |
| 0201 | NMLQ02H4N7TRF | 4.7             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02J4N7TRF | 4.7             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02C5N1TRF | 5.1             | 0.35 | 0.2nH     | 370 | 6000 |
| 0201 | NMLQ02D5N1TRF | 5.1             | 0.35 | 0.3nH     | 370 | 6000 |
| 0201 | NMLQ02H5N1TRF | 5.1             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02J5N1TRF | 5.1             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02C5N6TRF | 5.6             | 0.35 | 0.2nH     | 370 | 6000 |
| 0201 | NMLQ02D5N6TRF | 5.6             | 0.35 | 0.3nH     | 370 | 6000 |
| 0201 | NMLQ02H5N6TRF | 5.6             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02J5N6TRF | 5.6             | 0.35 | 3%        | 370 | 6000 |
| 0201 | NMLQ02C6N2TRF | 6.2             | 0.4  | 0.2nH     | 340 | 6000 |
| 0201 | NMLQ02D6N2TRF | 6.2             | 0.4  | 0.3nH     | 340 | 6000 |
| 0201 | NMLQ02H6N2TRF | 6.2             | 0.4  | 3%        | 340 | 6000 |
| 0201 | NMLQ02J6N2TRF | 6.2             | 0.4  | 3%        | 340 | 6000 |
| 0201 | NMLQ02H6N8TRF | 6.8             | 0.5  | 3%        | 310 | 6000 |
| 0201 | NMLQ02J6N8TRF | 6.8             | 0.5  | 5%        | 310 | 6000 |
| 0201 | NMLQ02H7N5TRF | 7.5             | 0.6  | 3%        | 300 | 5000 |
| 0201 | NMLQ02J7N5TRF | 7.5             | 0.6  | 5%        | 300 | 5000 |
| 0201 | NMLQ02H8N2TRF | 8.2             | 0.7  | 3%        | 250 | 5000 |
| 0201 | NMLQ02J8N2TRF | 8.2             | 0.7  | 5%        | 250 | 5000 |
| 0201 | NMLQ02H9N1TRF | 9.1             | 0.7  | 3%        | 250 | 4000 |
| 0201 | NMLQ02J9N1TRF | 9.1             | 0.7  | 5%        | 250 | 4000 |
| 0201 | NMLQ02H10NTRF | 10              | 0.85 | 3%        | 220 | 4000 |
| 0201 | NMLQ02J10NTRF | 10              | 0.85 | 5%        | 220 | 4000 |
| 0201 | NMLQ02H12NTRF | 12              | 0.85 | 3%        | 220 | 3000 |
| 0201 | NMLQ02J12NTRF | 12              | 0.85 | 5%        | 220 | 3000 |
| 0201 | NMLQ02H15NTRF | 15              | 0.9  | 3%        | 200 | 3000 |
| 0201 | NMLQ02J15NTRF | 15              | 0.9  | 5%        | 200 | 3000 |
| 0201 | NMLQ02H18NTRF | 18              | 1.2  | 3%        | 180 | 2500 |
| 0201 | NMLQ02J18NTRF | 18              | 1.2  | 5%        | 180 | 2500 |
| 0201 | NMLQ02H22NTRF | 22              | 1.6  | 3%        | 160 | 2500 |
| 0201 | NMLQ02J22NTRF | 22              | 1.6  | 5%        | 160 | 2500 |
| 0201 | NMLQ02J27NTRF | 27              | 1.6  | 5%        | 160 | 1700 |
| 0201 | NMLQ02J33NTRF | 33              | 1.6  | 5%        | 160 | 1500 |



NIC Components Corp.

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC  | SRF  |
|------|---------------|-----------------|------|-----------|------|------|
| 0201 | NMLQ02J39NTRF | 39              | 2    | 5%        | 140  | 1300 |
| 0201 | NMLQ02J47NTRF | 47              | 2.1  | 5%        | 140  | 1200 |
| 0201 | NMLQ02J56NTRF | 56              | 3    | 5%        | 120  | 1000 |
| 0201 | NMLQ02J68NTRF | 68              | 3.1  | 5%        | 120  | 1000 |
| 0201 | NMLQ02J82NTRF | 82              | 3.5  | 5%        | 110  | 900  |
| 0201 | NMLQ02JR10TRF | 100             | 4.1  | 5%        | 100  | 800  |
| 0402 | NMLQ04B1N0TRF | 1.0             | 0.05 | 0.1nH     | 1000 | 6000 |
| 0402 | NMLQ04C1N0TRF | 1.0             | 0.05 | 0.2nH     | 1000 | 6000 |
| 0402 | NMLQ04D1N0TRF | 1.0             | 0.05 | 0.3nH     | 1000 | 6000 |
| 0402 | NMLQ04B1N5TRF | 1.5             | 0.05 | 0.1nH     | 1000 | 6000 |
| 0402 | NMLQ04C1N5TRF | 1.5             | 0.05 | 0.2nH     | 1000 | 6000 |
| 0402 | NMLQ04D1N5TRF | 1.5             | 0.05 | 0.3nH     | 1000 | 6000 |
| 0402 | NMLQ04B1N8TRF | 1.8             | 0.07 | 0.1nH     | 800  | 6000 |
| 0402 | NMLQ04C1N8TRF | 1.8             | 0.07 | 0.2nH     | 800  | 6000 |
| 0402 | NMLQ04D1N8TRF | 1.8             | 0.07 | 0.3nH     | 800  | 6000 |
| 0402 | NMLQ04B2N2TRF | 2.2             | 0.07 | 0.1nH     | 800  | 6000 |
| 0402 | NMLQ04C2N2TRF | 2.2             | 0.07 | 0.2nH     | 800  | 6000 |
| 0402 | NMLQ04D2N2TRF | 2.2             | 0.07 | 0.3nH     | 800  | 6000 |
| 0402 | NMLQ04B2N4TRF | 2.4             | 0.07 | 0.1nH     | 800  | 6000 |
| 0402 | NMLQ04C2N4TRF | 2.4             | 0.07 | 0.2nH     | 800  | 6000 |
| 0402 | NMLQ04D2N4TRF | 2.4             | 0.07 | 0.3nH     | 800  | 6000 |
| 0402 | NMLQ04B2N7TRF | 2.7             | 0.09 | 0.1nH     | 700  | 6000 |
| 0402 | NMLQ04C2N7TRF | 2.7             | 0.09 | 0.2nH     | 700  | 6000 |
| 0402 | NMLQ04D2N7TRF | 2.7             | 0.09 | 0.3nH     | 700  | 6000 |
| 0402 | NMLQ04B3N3TRF | 3.3             | 0.09 | 0.1nH     | 700  | 6000 |
| 0402 | NMLQ04C3N3TRF | 3.3             | 0.09 | 0.2nH     | 700  | 6000 |
| 0402 | NMLQ04D3N3TRF | 3.3             | 0.09 | 0.3nH     | 700  | 6000 |
| 0402 | NMLQ04B3N6TRF | 3.6             | 0.1  | 0.1nH     | 700  | 6000 |
| 0402 | NMLQ04C3N6TRF | 3.6             | 0.1  | 0.2nH     | 700  | 6000 |
| 0402 | NMLQ04D3N6TRF | 3.6             | 0.1  | 0.3nH     | 700  | 6000 |
| 0402 | NMLQ04B3N9TRF | 3.9             | 0.1  | 0.1nH     | 700  | 6000 |
| 0402 | NMLQ04C3N9TRF | 3.9             | 0.1  | 0.2nH     | 700  | 6000 |
| 0402 | NMLQ04D3N9TRF | 3.9             | 0.1  | 0.3nH     | 700  | 6000 |
| 0402 | NMLQ04B4N3TRF | 4.3             | 0.13 | 0.1nH     | 600  | 6000 |
| 0402 | NMLQ04C4N3TRF | 4.3             | 0.13 | 0.2nH     | 600  | 6000 |
| 0402 | NMLQ04D4N3TRF | 4.3             | 0.13 | 0.3nH     | 600  | 6000 |
| 0402 | NMLQ04B4N7TRF | 4.7             | 0.13 | 0.1nH     | 600  | 6000 |
| 0402 | NMLQ04C4N7TRF | 4.7             | 0.13 | 0.2nH     | 600  | 6000 |
| 0402 | NMLQ04D4N7TRF | 4.7             | 0.13 | 0.3nH     | 600  | 6000 |



NIC Components Corp.

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF  |
|------|---------------|-----------------|------|-----------|-----|------|
| 0402 | NMLQ04B5N1TRF | 5.1             | 0.13 | 0.1nH     | 600 | 5500 |
| 0402 | NMLQ04C5N1TRF | 5.1             | 0.13 | 0.2nH     | 600 | 5500 |
| 0402 | NMLQ04D5N1TRF | 5.1             | 0.13 | 0.3nH     | 600 | 5500 |
| 0402 | NMLQ04B5N6TRF | 5.6             | 0.13 | 0.1nH     | 600 | 5500 |
| 0402 | NMLQ04C5N6TRF | 5.6             | 0.13 | 0.2nH     | 600 | 5500 |
| 0402 | NMLQ04D5N6TRF | 5.6             | 0.13 | 0.3nH     | 600 | 5500 |
| 0402 | NMLQ04B6N2TRF | 6.2             | 0.14 | 0.1nH     | 550 | 5500 |
| 0402 | NMLQ04C6N2TRF | 6.2             | 0.14 | 0.2nH     | 550 | 5500 |
| 0402 | NMLQ04D6N2TRF | 6.2             | 0.14 | 0.3nH     | 550 | 5500 |
| 0402 | NMLQ04G6N8TRF | 6.8             | 0.15 | 2%        | 550 | 5000 |
| 0402 | NMLQ04H6N8TRF | 6.8             | 0.15 | 3%        | 550 | 5000 |
| 0402 | NMLQ04J6N8TRF | 6.8             | 0.15 | 5%        | 550 | 5000 |
| 0402 | NMLQ04G7N5TRF | 7.5             | 0.16 | 2%        | 550 | 5000 |
| 0402 | NMLQ04H7N5TRF | 7.5             | 0.16 | 3%        | 550 | 5000 |
| 0402 | NMLQ04J7N5TRF | 7.5             | 0.16 | 5%        | 550 | 5000 |
| 0402 | NMLQ04G8N2TRF | 8.2             | 0.16 | 2%        | 550 | 5000 |
| 0402 | NMLQ04H8N2TRF | 8.2             | 0.16 | 3%        | 550 | 5000 |
| 0402 | NMLQ04J8N2TRF | 8.2             | 0.16 | 5%        | 550 | 5000 |
| 0402 | NMLQ04J8N7TRF | 8.7             | 0.17 | 5%        | 500 | 4800 |
| 0402 | NMLQ04G9N1TRF | 9.1             | 0.18 | 2%        | 500 | 4500 |
| 0402 | NMLQ04H9N1TRF | 9.1             | 0.18 | 3%        | 500 | 4500 |
| 0402 | NMLQ04J9N1TRF | 9.1             | 0.18 | 5%        | 500 | 4500 |
| 0402 | NMLQ04G10NTRF | 10              | 0.18 | 2%        | 500 | 4500 |
| 0402 | NMLQ04H10NTRF | 10              | 0.18 | 3%        | 500 | 4500 |
| 0402 | NMLQ04J10NTRF | 10              | 0.18 | 5%        | 500 | 4500 |
| 0402 | NMLQ04G11NTRF | 11              | 0.2  | 2%        | 500 | 4000 |
| 0402 | NMLQ04H11NTRF | 11              | 0.2  | 3%        | 500 | 4000 |
| 0402 | NMLQ04J11NTRF | 11              | 0.2  | 5%        | 500 | 4000 |
| 0402 | NMLQ04G12NTRF | 12              | 0.2  | 2%        | 500 | 4000 |
| 0402 | NMLQ04H12NTRF | 12              | 0.2  | 3%        | 500 | 4000 |
| 0402 | NMLQ04J12NTRF | 12              | 0.2  | 5%        | 500 | 4000 |
| 0402 | NMLQ04G15NTRF | 15              | 0.22 | 2%        | 430 | 4000 |
| 0402 | NMLQ04H15NTRF | 15              | 0.22 | 3%        | 430 | 4000 |
| 0402 | NMLQ04J15NTRF | 15              | 0.22 | 5%        | 430 | 4000 |
| 0402 | NMLQ04G18NTRF | 18              | 0.3  | 2%        | 370 | 3500 |
| 0402 | NMLQ04H18NTRF | 18              | 0.3  | 3%        | 370 | 3500 |
| 0402 | NMLQ04J18NTRF | 18              | 0.3  | 5%        | 370 | 3500 |
| 0402 | NMLQ04G22NTRF | 22              | 0.35 | 2%        | 330 | 3000 |
| 0402 | NMLQ04H22NTRF | 22              | 0.35 | 3%        | 330 | 3000 |



**NIC Components Corp.**

[www.niccomp.com/pcn](http://www.niccomp.com/pcn) | Technical Support: [tpmg@niccomp.com](mailto:tpmg@niccomp.com)

| Size | Part Number   | Inductance (nH) | DCR  | Tolerance | IDC | SRF  |
|------|---------------|-----------------|------|-----------|-----|------|
| 0402 | NMLQ04J22NTRF | 22              | 0.35 | 5%        | 330 | 3000 |