

Advanced Shielding Technology

Designed by PHOENIX CONTACT

**The new dimension of shielding
for assembled M8 and M12
circular connectors**

Update to PCN N0212075



CBF200069

Change of X-coded cable assemblies to Advanced shielding technology

Advanced Shielding Technology from Phoenix Contact is the innovative shielding concept for sensor/actuator cabling. The large-area, material-bonding 360° shield connection is unique on the market and optimizes the current design of M8 and M12 connectors.


With Advanced Shielding Technology, you are investing in reliable data, signal, and power transmission for the factory automation of the future.

The next slides shows you the change of the current design of X-coded cable assemblies and describe the advantages of the unique Advanced Shielding Technology.


CBF200069

Change of X-coded cable assemblies to Advanced shielding technology

Size of the connector heads



Current design



New design

CBF200069

Change of X-coded cable assemblies to Advanced shielding technology

Speedcon to Standard M12 thread



Current design



New design

CBF200069

Change of X-coded cable assemblies to Advanced shielding technology

CE and WEEE mark



Current design



New design



Additional to the brand logo of Phoenix Contact, the grip body become the CE mark and the WEEE logo to be compliant with the european regulations.

CBF200069


Change of X-coded cable assemblies to Advanced shielding technology

Article description from Speedcon to Standard M12

In case of the change from Speedcon to Standard M12 knurl, the article description have to be changed.

Example:

NBC-MSX/ 1,0-94F SCO



NBC-M12MSX/ 1,0-94F

The new descriptions of each articles are included in the attached excel sheet


How it all started

Current shielding concept

Cut cable



Paste a foil on the cable




Prepare hand press



Brush shield



Cut the shield



Crimp the lid



Push it over the cable jacket




Fit the shield sleeve on the cable



Presentation of the new shielding concept

Realization



1. Assembling of the M12 head with standard crimp contacts

2. Preparation of the M12 head and wires with the special „pre-mold“ for mechanical robustness and first sealing for IP protection

3. Preparation of the M12 head and cables shield with the special „metal-mold“ for 360° shielding connection, mechanical robustness and sealing for IP protection

4. Preparation of the M12 handle body with standard overmolding

Totally reliable
at high mechanical loads

Totally protected
Optimum heat dissipation and safe current flow

Totally robust
even when exposed to extreme environmental influences

Totally Future-proof
data transmission and reliable EMC protection


Totally resistant
to transient overvoltages



Advanced Shielding Technology

Totally protected


If there is a short circuit in the machine parts, Advanced Shielding Technology can be used to enable a current to flow via the shield until the fuses are triggered. Thanks to the minimal generation of heat, the large-area shielding ensures greater safety and reduces the risk of fire.



Advanced Shielding Technology

Totally future-proof




In the field of intelligent production plants and industrial networks, Advanced Shielding Technology realizes the future-proof transmission of high data volumes and continuously increasing transmission rates of up to 40 Gbps. The improved shield dissipation thus provides secure protection against electromagnetic interferences.



Advanced Shielding Technology

Totally reliable

Advanced Shielding Technology guarantees shock- and vibration-resistance at high mechanical loads in torsion, drag chain or robotic applications.



Advanced Shielding Technology

Totally resistant

High voltages are briefly generated when switching inductive loads such as motors. Thanks to the continuous connection between the shielding braid and plug, assembled connectors with Advanced Shielding Technology are resistant to transient overvoltages and guarantee a higher level of system availability.



Advanced Shielding Technology

Totally robust

Thanks to the robust connection and 360° shield cover, connectors with Advanced Shielding Technology will easily even withstand lightning strikes and current peaks up to 20 kA. They are thus particularly suitable for use in outdoor applications.



Advanced Shielding Technology

Designed by PHOENIX CONTACT

**The new dimension of shielding
for assembled M8 and M12
circular connectors**

**Further information under:
www.phoenixcontact.com/webcode/#2253**

