



www.niccomp.com / technical support: tpmg@niccomp.com

Update with extended last order/last ship dates

August 2nd, 2019

Notification: End of Life

NIC Product Affected: Select SMT Thick Film Resistor Array Part Numbers

EOL part numbers: (see EOL Part Number table below)

Termination Type: Concave

- 1.) Circuit Type: 8-elements: 2 common terminals (Pages 1 to 3)
 - Circuit: Bussed/Common "C" (1-6 common) & "D" (5-10 common)
 - Part Number Prefix: **NRSNØ6C** & **NRSNØ6D**
- 2.) Circuit Type: 4-element isolated (Pages 4 to 9)
 - Part Number Prefix: **NRSN12I4**

Reason for EOL: Production allocated to alternate smaller case size products

Last time order: September 30th, 2021 for existing business from established customers.

Last time delivery: April 29th 2022 for existing business from established customers.

EOL PART NUMBERS

NRSNØ6C PREFIX	NRSNØ6D PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN06C8J101TRF	NRSN06D8J101TRF	100 Ω	±5%
NRSN06C8J111TRF	NRSN06D8J111TRF	110 Ω	±5%
NRSN06C8J121TRF	NRSN06D8J121TRF	120 Ω	±5%
NRSN06C8J131TRF	NRSN06D8J131TRF	130 Ω	±5%
NRSN06C8J151TRF	NRSN06D8J151TRF	150 Ω	±5%
NRSN06C8J161TRF	NRSN06D8J161TRF	160 Ω	±5%
NRSN06C8J181TRF	NRSN06D8J181TRF	180 Ω	±5%
NRSN06C8J201TRF	NRSN06D8J201TRF	200 Ω	±5%
NRSN06C8J221TRF	NRSN06D8J221TRF	220 Ω	±5%
NRSN06C8J241TRF	NRSN06D8J241TRF	240 Ω	±5%
NRSN06C8J271TRF	NRSN06D8J271TRF	270 Ω	±5%
NRSN06C8J301TRF	NRSN06D8J301TRF	300 Ω	±5%
NRSN06C8J331TRF	NRSN06D8J331TRF	330 Ω	±5%
NRSN06C8J361TRF	NRSN06D8J361TRF	360 Ω	±5%
NRSN06C8J391TRF	NRSN06D8J391TRF	390 Ω	±5%
NRSN06C8J431TRF	NRSN06D8J431TRF	430 Ω	±5%



EOL PART NUMBERS

NRSNØ6C PREFIX	NRSNØ6D PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN06C8J471TRF	NRSN06D8J471TRF	470 Ω	±5%
NRSN06C8J511TRF	NRSN06D8J511TRF	510 Ω	±5%
NRSN06C8J561TRF	NRSN06D8J561TRF	560 Ω	±5%
NRSN06C8J621TRF	NRSN06D8J621TRF	620 Ω	±5%
NRSN06C8J681TRF	NRSN06D8J681TRF	680 Ω	±5%
NRSN06C8J751TRF	NRSN06D8J751TRF	750 Ω	±5%
NRSN06C8J821TRF	NRSN06D8J821TRF	820 Ω	±5%
NRSN06C8J911TRF	NRSN06D8J911TRF	910 Ω	±5%
NRSN06C8J102TRF	NRSN06D8J102TRF	1000 Ω	±5%
NRSN06C8J112TRF	NRSN06D8J112TRF	1100 Ω	±5%
NRSN06C8J122TRF	NRSN06D8J122TRF	1200 Ω	±5%
NRSN06C8J132TRF	NRSN06D8J132TRF	1300 Ω	±5%
NRSN06C8J152TRF	NRSN06D8J152TRF	1500 Ω	±5%
NRSN06C8J162TRF	NRSN06D8J162TRF	1600 Ω	±5%
NRSN06C8J182TRF	NRSN06D8J182TRF	1800 Ω	±5%
NRSN06C8J202TRF	NRSN06D8J202TRF	2000 Ω	±5%
NRSN06C8J222TRF	NRSN06D8J222TRF	2200 Ω	±5%
NRSN06C8J242TRF	NRSN06D8J242TRF	2400 Ω	±5%
NRSN06C8J272TRF	NRSN06D8J272TRF	2700 Ω	±5%
NRSN06C8J302TRF	NRSN06D8J302TRF	3000 Ω	±5%
NRSN06C8J332TRF	NRSN06D8J332TRF	3300 Ω	±5%
NRSN06C8J362TRF	NRSN06D8J362TRF	3600 Ω	±5%
NRSN06C8J392TRF	NRSN06D8J392TRF	3900 Ω	±5%
NRSN06C8J432TRF	NRSN06D8J432TRF	4300 Ω	±5%
NRSN06C8J472TRF	NRSN06D8J472TRF	4700 Ω	±5%
NRSN06C8J512TRF	NRSN06D8J512TRF	5100 Ω	±5%
NRSN06C8J562TRF	NRSN06D8J562TRF	5600 Ω	±5%
NRSN06C8J622TRF	NRSN06D8J622TRF	6200 Ω	±5%
NRSN06C8J682TRF	NRSN06D8J682TRF	6800 Ω	±5%
NRSN06C8J752TRF	NRSN06D8J752TRF	7500 Ω	±5%
NRSN06C8J822TRF	NRSN06D8J822TRF	8200 Ω	±5%
NRSN06C8J912TRF	NRSN06D8J912TRF	9100 Ω	±5%
NRSN06C8J103TRF	NRSN06D8J103TRF	10,000 Ω	±5%
NRSN06C8J113TRF	NRSN06D8J113TRF	11,000 Ω	±5%
NRSN06C8J123TRF	NRSN06D8J123TRF	12,000 Ω	±5%
NRSN06C8J133TRF	NRSN06D8J133TRF	13,000 Ω	±5%
NRSN06C8J153TRF	NRSN06D8J153TRF	15,000 Ω	±5%
NRSN06C8J163TRF	NRSN06D8J163TRF	16,000 Ω	±5%
NRSN06C8J183TRF	NRSN06D8J183TRF	18,000 Ω	±5%



EOL PART NUMBERS

NRSNØ6C PREFIX	NRSNØ6D PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN06C8J203TRF	NRSN06D8J203TRF	20,000 Ω	±5%
NRSN06C8J223TRF	NRSN06D8J223TRF	22,000 Ω	±5%
NRSN06C8J243TRF	NRSN06D8J243TRF	24,000 Ω	±5%
NRSN06C8J273TRF	NRSN06D8J273TRF	27,000 Ω	±5%
NRSN06C8J303TRF	NRSN06D8J303TRF	30,000 Ω	±5%
NRSN06C8J333TRF	NRSN06D8J333TRF	33,000 Ω	±5%
NRSN06C8J363TRF	NRSN06D8J363TRF	36,000 Ω	±5%
NRSN06C8J393TRF	NRSN06D8J393TRF	39,000 Ω	±5%
NRSN06C8J433TRF	NRSN06D8J433TRF	43,000 Ω	±5%
NRSN06C8J473TRF	NRSN06D8J473TRF	47,000 Ω	±5%
NRSN06C8J513TRF	NRSN06D8J513TRF	51,000 Ω	±5%
NRSN06C8J563TRF	NRSN06D8J563TRF	56,000 Ω	±5%
NRSN06C8J623TRF	NRSN06D8J623TRF	62,000 Ω	±5%
NRSN06C8J683TRF	NRSN06D8J683TRF	68,000 Ω	±5%
NRSN06C8J753TRF	NRSN06D8J753TRF	75,000 Ω	±5%
NRSN06C8J823TRF	NRSN06D8J823TRF	82,000 Ω	±5%
NRSN06C8J913TRF	NRSN06D8J913TRF	91,000 Ω	±5%
NRSN06C8J104TRF	NRSN06D8J104TRF	100,000 Ω	±5%
NRSN06C8J114TRF	NRSN06D8J114TRF	110,000 Ω	±5%
NRSN06C8J124TRF	NRSN06D8J124TRF	120,000 Ω	±5%
NRSN06C8J134TRF	NRSN06D8J134TRF	130,000 Ω	±5%
NRSN06C8J154TRF	NRSN06D8J154TRF	150,000 Ω	±5%
NRSN06C8J164TRF	NRSN06D8J164TRF	160,000 Ω	±5%
NRSN06C8J184TRF	NRSN06D8J184TRF	180,000 Ω	±5%
NRSN06C8J204TRF	NRSN06D8J204TRF	200,000 Ω	±5%
NRSN06C8J224TRF	NRSN06D8J224TRF	220,000 Ω	±5%
NRSN06C8J244TRF	NRSN06D8J244TRF	240,000 Ω	±5%
NRSN06C8J274TRF	NRSN06D8J274TRF	270,000 Ω	±5%
NRSN06C8J304TRF	NRSN06D8J304TRF	300,000 Ω	±5%
NRSN06C8J334TRF	NRSN06D8J334TRF	330,000 Ω	±5%
NRSN06C8J364TRF	NRSN06D8J364TRF	360,000 Ω	±5%
NRSN06C8J394TRF	NRSN06D8J394TRF	390,000 Ω	±5%
NRSN06C8J434TRF	NRSN06D8J434TRF	430,000 Ω	±5%
NRSN06C8J474TRF	NRSN06D8J474TRF	470,000 Ω	±5%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4G101TRF	100 Ω	± 2%
NRSN12I4G102TRF	1000 Ω	± 2%
NRSN12I4G103TRF	10,000 Ω	± 2%
NRSN12I4G104TRF	100,000 Ω	± 2%
NRSN12I4G105TRF	1,000,000 Ω	± 2%
NRSN12I4G111TRF	110 Ω	± 2%
NRSN12I4G112TRF	1100 Ω	± 2%
NRSN12I4G113TRF	11,000 Ω	± 2%
NRSN12I4G114TRF	110,000 Ω	± 2%
NRSN12I4G121TRF	120 Ω	± 2%
NRSN12I4G122TRF	1200 Ω	± 2%
NRSN12I4G123TRF	12,000 Ω	± 2%
NRSN12I4G124TRF	120,000 Ω	± 2%
NRSN12I4G131TRF	130 Ω	± 2%
NRSN12I4G132TRF	1300 Ω	± 2%
NRSN12I4G133TRF	13,000 Ω	± 2%
NRSN12I4G134TRF	130,000 Ω	± 2%
NRSN12I4G151TRF	150 Ω	± 2%
NRSN12I4G152TRF	1500 Ω	± 2%
NRSN12I4G153TRF	15,000 Ω	± 2%
NRSN12I4G154TRF	150,000 Ω	± 2%
NRSN12I4G161TRF	160 Ω	± 2%
NRSN12I4G162TRF	1600 Ω	± 2%
NRSN12I4G163TRF	16,000 Ω	± 2%
NRSN12I4G164TRF	160,000 Ω	± 2%
NRSN12I4G181TRF	180 Ω	± 2%
NRSN12I4G182TRF	1800 Ω	± 2%
NRSN12I4G183TRF	18,000 Ω	± 2%
NRSN12I4G184TRF	180,000 Ω	± 2%
NRSN12I4G201TRF	200 Ω	± 2%
NRSN12I4G202TRF	2000 Ω	± 2%
NRSN12I4G203TRF	20,000 Ω	± 2%
NRSN12I4G204TRF	200,000 Ω	± 2%
NRSN12I4G221TRF	220 Ω	± 2%
NRSN12I4G222TRF	2200 Ω	± 2%
NRSN12I4G223TRF	2,2000 Ω	± 2%
NRSN12I4G224TRF	220,000 Ω	± 2%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4G241TRF	240 Ω	± 2%
NRSN12I4G242TRF	2400 Ω	± 2%
NRSN12I4G243TRF	24,000 Ω	± 2%
NRSN12I4G244TRF	240,000 Ω	± 2%
NRSN12I4G271TRF	270 Ω	± 2%
NRSN12I4G272TRF	2700 Ω	± 2%
NRSN12I4G273TRF	27,000 Ω	± 2%
NRSN12I4G274TRF	270,000 Ω	± 2%
NRSN12I4G301TRF	300 Ω	± 2%
NRSN12I4G302TRF	3000 Ω	± 2%
NRSN12I4G303TRF	30,000 Ω	± 2%
NRSN12I4G304TRF	300,000 Ω	± 2%
NRSN12I4G331TRF	330 Ω	± 2%
NRSN12I4G332TRF	3300 Ω	± 2%
NRSN12I4G333TRF	33,000 Ω	± 2%
NRSN12I4G334TRF	330,000 Ω	± 2%
NRSN12I4G361TRF	360 Ω	± 2%
NRSN12I4G362TRF	3600 Ω	± 2%
NRSN12I4G363TRF	36,000 Ω	± 2%
NRSN12I4G364TRF	360,000 Ω	± 2%
NRSN12I4G391TRF	390 Ω	± 2%
NRSN12I4G392TRF	3900 Ω	± 2%
NRSN12I4G393TRF	39,000 Ω	± 2%
NRSN12I4G394TRF	390,000 Ω	± 2%
NRSN12I4G431TRF	430 Ω	± 2%
NRSN12I4G432TRF	4300 Ω	± 2%
NRSN12I4G433TRF	43,000 Ω	± 2%
NRSN12I4G434TRF	430,000 Ω	± 2%
NRSN12I4G470TRF	47 Ω	± 2%
NRSN12I4G471TRF	470 Ω	± 2%
NRSN12I4G472TRF	4700 Ω	± 2%
NRSN12I4G473TRF	47,000 Ω	± 2%
NRSN12I4G474TRF	470,000 Ω	± 2%
NRSN12I4G510TRF	51 Ω	± 2%
NRSN12I4G511TRF	510 Ω	± 2%
NRSN12I4G512TRF	5100 Ω	± 2%
NRSN12I4G513TRF	51,000 Ω	± 2%
NRSN12I4G514TRF	510,000 Ω	± 2%
NRSN12I4G560TRF	56 Ω	± 2%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4G561TRF	560 Ω	± 2%
NRSN12I4G562TRF	5600 Ω	± 2%
NRSN12I4G563TRF	56,000 Ω	± 2%
NRSN12I4G564TRF	560,000 Ω	± 2%
NRSN12I4G620TRF	62 Ω	± 2%
NRSN12I4G621TRF	620 Ω	± 2%
NRSN12I4G622TRF	6200 Ω	± 2%
NRSN12I4G623TRF	62,000 Ω	± 2%
NRSN12I4G624TRF	620,000 Ω	± 2%
NRSN12I4G680TRF	68 Ω	± 2%
NRSN12I4G681TRF	680 Ω	± 2%
NRSN12I4G682TRF	6800 Ω	± 2%
NRSN12I4G683TRF	68,000 Ω	± 2%
NRSN12I4G684TRF	680,000 Ω	± 2%
NRSN12I4G750TRF	75 Ω	± 2%
NRSN12I4G751TRF	750 Ω	± 2%
NRSN12I4G752TRF	7500 Ω	± 2%
NRSN12I4G753TRF	75,000 Ω	± 2%
NRSN12I4G754TRF	750,000 Ω	± 2%
NRSN12I4G820TRF	82 Ω	± 2%
NRSN12I4G821TRF	820 Ω	± 2%
NRSN12I4G822TRF	8200 Ω	± 2%
NRSN12I4G823TRF	82,000 Ω	± 2%
NRSN12I4G824TRF	820,000 Ω	± 2%
NRSN12I4G910TRF	91 Ω	± 2%
NRSN12I4G911TRF	910 Ω	± 2%
NRSN12I4G912TRF	9100 Ω	± 2%
NRSN12I4G913TRF	91,000 Ω	± 2%
NRSN12I4G914TRF	910,000 Ω	± 2%
NRSN12I4J100TRF	10 Ω	±5%
NRSN12I4J101TRF	100 Ω	±5%
NRSN12I4J102TRF	1000 Ω	±5%
NRSN12I4J103TRF	10,000 Ω	±5%
NRSN12I4J104TRF	100,000 Ω	±5%
NRSN12I4J105TRF	1,000,000 Ω	±5%
NRSN12I4J110TRF	11 Ω	±5%
NRSN12I4J111TRF	110 Ω	±5%
NRSN12I4J112TRF	1100 Ω	±5%
NRSN12I4J113TRF	11,000 Ω	±5%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4J114TRF	110,000 Ω	±5%
NRSN12I4J120TRF	12 Ω	±5%
NRSN12I4J121TRF	120 Ω	±5%
NRSN12I4J122TRF	1200 Ω	±5%
NRSN12I4J123TRF	12,000 Ω	±5%
NRSN12I4J124TRF	120,000 Ω	±5%
NRSN12I4J130TRF	13 Ω	±5%
NRSN12I4J131TRF	130 Ω	±5%
NRSN12I4J132TRF	1300 Ω	±5%
NRSN12I4J133TRF	13,000 Ω	±5%
NRSN12I4J134TRF	130,000 Ω	±5%
NRSN12I4J150TRF	15 Ω	±5%
NRSN12I4J151TRF	150 Ω	±5%
NRSN12I4J152TRF	1500 Ω	±5%
NRSN12I4J153TRF	15,000 Ω	±5%
NRSN12I4J154TRF	150,000 Ω	±5%
NRSN12I4J160TRF	16 Ω	±5%
NRSN12I4J161TRF	160 Ω	±5%
NRSN12I4J162TRF	1600 Ω	±5%
NRSN12I4J163TRF	16,000 Ω	±5%
NRSN12I4J164TRF	160,000 Ω	±5%
NRSN12I4J180TRF	18 Ω	±5%
NRSN12I4J181TRF	180 Ω	±5%
NRSN12I4J182TRF	1800 Ω	±5%
NRSN12I4J183TRF	18,000 Ω	±5%
NRSN12I4J184TRF	180,000 Ω	±5%
NRSN12I4J200TRF	20 Ω	±5%
NRSN12I4J201TRF	200 Ω	±5%
NRSN12I4J202TRF	2000 Ω	±5%
NRSN12I4J203TRF	20,000 Ω	±5%
NRSN12I4J204TRF	200,000 Ω	±5%
NRSN12I4J220TRF	22 Ω	±5%
NRSN12I4J221TRF	220 Ω	±5%
NRSN12I4J222TRF	2200 Ω	±5%
NRSN12I4J223TRF	22,000 Ω	±5%
NRSN12I4J224TRF	220,000 Ω	±5%
NRSN12I4J240TRF	24 Ω	±5%
NRSN12I4J241TRF	240 Ω	±5%
NRSN12I4J242TRF	2400 Ω	±5%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4J243TRF	24,000 Ω	±5%
NRSN12I4J244TRF	240,000 Ω	±5%
NRSN12I4J270TRF	27 Ω	±5%
NRSN12I4J271TRF	270 Ω	±5%
NRSN12I4J272TRF	2700 Ω	±5%
NRSN12I4J273TRF	27,000 Ω	±5%
NRSN12I4J274TRF	270,000 Ω	±5%
NRSN12I4J300TRF	30 Ω	±5%
NRSN12I4J301TRF	300 Ω	±5%
NRSN12I4J302TRF	3000 Ω	±5%
NRSN12I4J303TRF	30,000 Ω	±5%
NRSN12I4J304TRF	300,000 Ω	±5%
NRSN12I4J330TRF	33 Ω	±5%
NRSN12I4J331TRF	330 Ω	±5%
NRSN12I4J332TRF	3300 Ω	±5%
NRSN12I4J333TRF	33,000 Ω	±5%
NRSN12I4J334TRF	330,000 Ω	±5%
NRSN12I4J360TRF	36 Ω	±5%
NRSN12I4J361TRF	360 Ω	±5%
NRSN12I4J362TRF	3600 Ω	±5%
NRSN12I4J363TRF	36,000 Ω	±5%
NRSN12I4J364TRF	360,000 Ω	±5%
NRSN12I4J390TRF	39 Ω	±5%
NRSN12I4J391TRF	390 Ω	±5%
NRSN12I4J392TRF	3900 Ω	±5%
NRSN12I4J393TRF	39,000 Ω	±5%
NRSN12I4J394TRF	390,000 Ω	±5%
NRSN12I4J430TRF	43 Ω	±5%
NRSN12I4J431TRF	430 Ω	±5%
NRSN12I4J432TRF	4300 Ω	±5%
NRSN12I4J433TRF	43,000 Ω	±5%
NRSN12I4J434TRF	430,000 Ω	±5%
NRSN12I4J470TRF	47 Ω	±5%
NRSN12I4J471TRF	470 Ω	±5%
NRSN12I4J472TRF	4700 Ω	±5%
NRSN12I4J473TRF	47,000 Ω	±5%
NRSN12I4J474TRF	470,000 Ω	±5%
NRSN12I4J510TRF	51 Ω	±5%
NRSN12I4J511TRF	510 Ω	±5%



EOL PART NUMBERS

NRSN12I4 PREFIX	RESISTANCE VALUE	TOLERANCE
NRSN12I4J512TRF	5100 Ω	±5%
NRSN12I4J513TRF	51,000 Ω	±5%
NRSN12I4J514TRF	510,000 Ω	±5%
NRSN12I4J560TRF	56 Ω	±5%
NRSN12I4J561TRF	560 Ω	±5%
NRSN12I4J562TRF	5600 Ω	±5%
NRSN12I4J563TRF	56,000 Ω	±5%
NRSN12I4J564TRF	560,000 Ω	±5%
NRSN12I4J620TRF	62 Ω	±5%
NRSN12I4J621TRF	620 Ω	±5%
NRSN12I4J622TRF	6200 Ω	±5%
NRSN12I4J623TRF	62,000 Ω	±5%
NRSN12I4J624TRF	620,000 Ω	±5%
NRSN12I4J680TRF	68 Ω	±5%
NRSN12I4J681TRF	680 Ω	±5%
NRSN12I4J682TRF	6800 Ω	±5%
NRSN12I4J683TRF	68,000 Ω	±5%
NRSN12I4J684TRF	680,000 Ω	±5%
NRSN12I4J750TRF	75 Ω	±5%
NRSN12I4J751TRF	750 Ω	±5%
NRSN12I4J752TRF	7500 Ω	±5%
NRSN12I4J753TRF	75,000 Ω	±5%
NRSN12I4J754TRF	750,000 Ω	±5%
NRSN12I4J820TRF	82 Ω	±5%
NRSN12I4J821TRF	820 Ω	±5%
NRSN12I4J822TRF	8200 Ω	±5%
NRSN12I4J823TRF	82,000 Ω	±5%
NRSN12I4J824TRF	820,000 Ω	±5%
NRSN12I4J910TRF	91 Ω	±5%
NRSN12I4J911TRF	910 Ω	±5%
NRSN12I4J912TRF	9100 Ω	±5%
NRSN12I4J913TRF	91,000 Ω	±5%
NRSN12I4J914TRF	910,000 Ω	±5%
NRSN12I4ZOTRF	0 Ω	Zero Ohm

Sign-up and follow NIC PCN-EOL notices at: https://www.niccomp.com/forms/newsletter_subscribe.php