Product change notification (PCN)

Title / short description	Change from Speedcon (SCO) to M12 full-thread
Affected article category	Sensor/actuator cabling
Change category	Form and appearance
Change number	CBF240037-01
Reason for PCN/PDN Revision	Update article list

Purpose/objective of the change

The SAC and SACC articles listed in the Product Change Notification currently feature the Speedcon (SCO) fast-locking thread, which allows the M12 connector head to be connected with only a half turn. These articles will be changed to the M12x1 full-thread connection.

Detailed description of the change

The SAC and SACC articles listed in the Product Change Notification currently feature the Speedcon (SCO) fast-locking thread, which allows the M12 connector head to be connected with only a half turn.
These articles will be changed to the M12x1 full-thread connection.
In the future, it will also be possible to use a product range with M12 Push-Pull fast-locking system that is standardized worldwide according to IEC 61076-2-010. Therefore, the SCO fast-connection technology will no longer be required. For additional information about the new M12 Push-Pull fast-locking system, please refer to the attachment.

Identifying characteristics

item list

Start of Production (SOP)	-	**Last Time Delivery (LTD)**	-
Effective date (EOP)	2027-04-02	**End of Service (EOSR)**	-
End of Sales (EOS)	-		

Short-term change (< 6 months) or discontinuation (< 12 months), due to:

- ☐ Software / Firmware Bugfix
- ☐ Short-term delivery stop by supplier
- ☐ Short-term recall by supplier
- ☐ Force majeure
- ☐ Product improvement with customer benefits
- ☐ Others

Attachments

- CBF240037-Brochure M12 Push-Pull.pdf
- CBF240037-Description change.pdf
- CBF240037-future product changes.pdf
- Material_list.csv
- PCN-CBF240037-01_EN

2026-10-1 VDMA24903_1.0

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Material list

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1518290	SAC-5P-MS/ 5,0-920/FS SCO	02	03		
1435658	SAC-3P-MR/ 1,5-PUR/CI-1L-Z SCO	04	05		
1435496	SAC-3P-MR/ 0,6-PUR/C-1L-Z SCO	02	03		
1435360	SAC-3P-MR/ 3,0-PUR/B-1L-Z SCO	03	04		
1435218	SAC-3P-MR/ 3,0-PUR/BI-1L-Z SCO	03	04		
1435506	SAC-3P-MR/ 1,5-PUR/C-1L-Z SCO	02	03		
1435182	SAC-3P-MR/ 0,3-PUR/BI-1L-Z SCO	03	04		
1435357	SAC-3P-MR/ 1,5-PUR/B-1L-Z SCO	03	04		
1435195	SAC-3P-MR/ 0,6-PUR/BI-1L-Z SCO	03	04		
1435043	SAC-5P-MS/ 0,6-PUR/AD-2L SCO	04	05		
1401438	SAC-3P-MS/1,3-PUR/A-1L-Z SCO	04	05		
1435289	SAC-3P-MS/ 0,3-PUR/B-1L-Z SCO	03	04		
1435483	SAC-3P-MR/ 0,3-PUR/C-1L-Z SCO	02	03		
1562136	SAC-5P-MS/ 1,5-100/FS SCO OBS	04	05		
1435616	SAC-3P-MS/ 3,0-PUR/CI-1L-Z SCO	04	05		
1435645	SAC-3P-MR/ 0,6-PUR/CI-1L-Z SCO	04	05		
1434947	SAC-3P-MR/ 0,6-PUR/A-1L-Z SCO	04	05		
1435632	SAC-3P-MR/ 0,3-PUR/CI-1L-Z SCO	04	05		
1544073	SAC-5P-Y/2X0,3-PUR/FS B PE SCO	05	06		
1425458	SAC-4P-10,0-280/FS SCO N-GR	02	03		
1518342	SAC-5P-MS/10,0-186 SCO	06	07		
1518407	SAC-5P-MS/ 0,3-186/FS SCO	05	06		
1435292	SAC-3P-MS/ 0,6-PUR/B-1L-Z SCO	03	04		
1435030	SAC-5P-MS/ 0,3-PUR/AD-2L SCO	04	05		
1403875	SAC-4P-15,0-500/FR SCO N-GR	02	03		
1434934	SAC-3P-MR/ 0,3-PUR/A-1L-Z SCO	04	05		
1434963	SAC-3P-MR/ 3,0-PUR/A-1L-Z SCO	04	05		
1416163	SAC-MS/0,3-PVC/BI-1L BK SCO180	02	03		
1435519	SAC-3P-MR/ 3,0-PUR/C-1L-Z SCO	02	03		
1560866	SAC-2P-MS/0,55-PUR/ZC-1L-S SCO	04	05		
1400469	SAC-4P-MS/10,0-186 SCO LP	01	02		
1518355	SAC-5P-MS/15,0-186 SCO	06	07		
1422396	SAC-4P-MS/2,0-PUR/FS FPLBG SK	03	04		
1423781	SAC-4P-M12MSS/ 1,0-PUR PE EBM	06	07		
1014966	SAC-5P- 3,0-115/FS SCO	01	02		
1435603	SAC-3P-MS/ 1,5-PUR/CI-1L-Z SCO	04	05		
1435467	SAC-3P-MS/ 3,0-PUR/C-1L-Z SCO	02	03		
1014965	SAC-5P-MR/ 3,0-115 SCO	01	02		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1401432	SAC-3P-MS/2,5-PUR/AD SCO CCS	05	06		
1412071	SAC-4P- 2,0-PUR/FSB SCO	02	03		
1435166	SAC-3P-MS/ 3,0-PUR/BI-1L-Z SCO	03	04		
1413183	SAC-4P- 3,0-PUR/M12FSS PE	05	06		
1518177	SAC-5P-MS/ 2,0-920 SCO	03	04		
1518258	SAC-5P-MS/ 0,3-920/FS SCO	03	04		
1518410	SAC-5P-MS/ 0,5-186/FS SCO	06	07		
1518368	SAC-5P- 2,0-186/FS SCO	06	07		
1435153	SAC-3P-MS/ 1,5-PUR/BI-1L-Z SCO	03	04		
1435580	SAC-3P-MS/ 0,3-PUR/CI-1L-Z SCO	04	05		
1518436	SAC-5P-MS/ 2,0-186/FS SCO	06	07		
1518465	SAC-5P-MS/15,0-186/FS SCO	06	07		
1435137	SAC-3P-MS/ 0,3-PUR/BI-1L-Z SCO	03	04		
1412069	SAC-4P-MSB/ 2,0-PUR SCO	02	03		
1518261	SAC-5P-MS/ 0,5-920/FS SCO	02	03		
1435140	SAC-3P-MS/ 0,6-PUR/BI-1L-Z SCO	03	04		
1518300	SAC-5P-MS/10,0-920/FS SCO	02	03		
1518313	SAC-5P-MS/15,0-920/FS SCO	02	03		
1423782	SAC-3P-M12MSS/ 1,0-PVC PE EBM	05	06		
1518274	SAC-5P-MS/ 1,0-920/FS SCO	02	03		
1518180	SAC-5P-MS/ 5,0-920 SCO	03	04		
1518229	SAC-5P- 5,0-920/FS SCO	03	04		
1518287	SAC-5P-MS/ 2,0-920/FS SCO	02	03		
1518216	SAC-5P- 2,0-920/FS SCO	03	04		
1574124	SAC-5P- 2,0-186/FSB SCO	02	03		
1435205	SAC-3P-MR/ 1,5-PUR/BI-1L-Z SCO	03	04		
1435344	SAC-3P-MR/ 0,6-PUR/B-1L-Z SCO	03	04		
1793210	SAC-4P-MRT/3,215-PUR SCO SHCV	02	03		
1052833	SAC-MS/ 2,0/0,11-116/2XA-1L-Z	02	03		
1435331	SAC-3P-MR/ 0,3-PUR/B-1L-Z SCO	03	04		
1435661	SAC-3P-MR/ 3,0-PUR/CI-1L-Z SCO	04	05		
1549531	SAC-4P-MR/ 2,0-170/FR SCO VL	03	04		
1435593	SAC-3P-MS/ 0,6-PUR/CI-1L-Z SCO	04	05		
1518481	SAC-5P-MS/ 0,13-186/FS SCO	04	05		
1400477	SAC-4P-MS/10,0-186/FS SCO LP	01	02		
1410380	SAC-5P-MS/ 3,0-920/FS SCO	00	01		
1419048	SAC-5P-MR/20,0-923 CAN SCO	01	02		
1563517	SAC-3P-MS/ 3,0-140/FR SCO SMI	02	03		
1563546	SAC-3P-MS/ 2,0-140/FS SCO SMI	02	03		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1400475	SAC-4P-MS/ 2,0-186/FS SCO LP	01	02		
1410787	SAC-8P-15,0-PVC/FR SCO	03	04		
1419041	SAC-5P-MS/10,0-923 CAN SCO	01	02		
1419061	SAC-5P-MR/ 5,0-923/FS CAN SCO	01	02		
1422554	SAC-5P- 3,0-923/FS CAN SCO	00	01		
1414384	SAC-5P-Y/2X1,5PUR/CI-1L-Z SCO	03	04		
1419078	SAC-5P-MR/10,0-923/FR CAN SCO	01	02		
1423930	SAC-5P-MSB/5,0-PUR/FRB SCO	03	04		
1400468	SAC-4P-MS/ 5,0-186 SCO LP	01	02		
1400470	SAC-4P- 2,0-186/FS SCO LP	01	02		
1419035	SAC-5P- 5,0-923/FR CAN SCO	02	03		
1400471	SAC-4P- 5,0-186/FS SCO LP	01	02		
1400696	SAC-3P-MS/5,0-PUR/A-1L-Z SCO	04	05		
1180895	SAC-5P-MS/25,0-BF145/FSSH SO	02	03		
1419036	SAC-5P-10,0-923/FR CAN SCO	01	02		
1441470	SAC-5P-MS/ 8,0-923/FS CAN SCO	00	01		
1419038	SAC-5P-20,0-923/FR CAN SCO	01	02		
1421619	SAC-3P-MS/5,0-PUR/AD SCO SW-WI	02	03		
1400472	SAC-4P-10,0-186/FS SCO LP	01	02		
1419037	SAC-5P-15,0-923/FR CAN SCO	01	02		
1419032	SAC-5P-15,0-923/FS CAN SCO	01	02		
1419044	SAC-5P-MR/ 2,0-923 CAN SCO	01	02		
1537530	SAC-4P-MS/ 2,5-BF145 P1+2 SCO	01	02		
1549269	SAC-4P-MS/ 5,0-170/FR SCO VL	03	04		
1403919	SAC-5P-MS/ 4,0-923/FS CAN SCO	00	01		
1410493	SAC-3P-MS/1,7-240/CI SCO	04	05		
1549162	SAC-4P-MS/10,0-170 SCO VL	04	05		
1549405	SAC-5P-MS/ 2,0-170/FS SCO VL	03	04		
1410060	SAC-3P-MS/0,8-240/A SCO J-YM	03	04		
1419043	SAC-5P-MS/20,0-923 CAN SCO	01	02		
1400467	SAC-4P-MS/ 2,0-186 SCO LP	01	02		
1400476	SAC-4P-MS/ 5,0-186/FS SCO LP	01	02		
1404602	SAC-8P-10,0-PUR/FS BK SCO SI	03	04		
1419033	SAC-5P-20,0-923/FS CAN SCO	01	02		
1419039	SAC-5P-MS/ 2,0-923 CAN SCO	01	02		
1568402	SAC-5P- 5,0-PUR/FS SCO SMI	01	02		
1427420	SAC-8P-15,0-PUR/FS BK SCO SI	01	02		
1419034	SAC-5P- 2,0-923/FR CAN SCO	01	02		
1556045	SAC-4P-MS/ 4,0-170/M 8FS SCOVL	03	04		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1419031	SAC-5P-10,0-923/FS CAN SCO	01	02		
1419062	SAC-5P-MR/10,0-923/FS CAN SCO	01	02		
1538788	SAC-3P-MS/ 2,0-170/M 8FS SCO	05	06		
1404164	SAC-4P- 2,0-500/FS SCO N-GR	02	03		
1416452	SAC-4P-MS/ 1,5-186 SCO	01	02		
1549159	SAC-4P-MS/ 5,0-170 SCO VL	04	05		
1563821	SAC-4P-MS/10,0-140 SCO SMI	02	03		
1403833	SAC-4P- 5,0-500/FS SCO N-GR	02	03		
1563630	SAC-3P- 5,0-140/FS SCO SMI	02	03		
1409763	SAC-3P-MS/ 1,1-240/A SCO	04	05		
1409768	SAC-3P-MS/ 1,5-240/CI SCO	04	05		
1549120	SAC-4P- 5,0-170/FS SCO VL	04	05		
1549214	SAC-4P-MS/ 5,0-170/M 8FS SCOVL	03	04		
1563054	SAC-3P-Y/2X2,0-140/FS SCO SMI	03	04		
1563656	SAC-3P- 5,0-140/FR SCO SMI	03	04		
1549366	SAC-4P-MS/ 5,0-170/FS SCO VL	04	05		
1409764	SAC-3P-MS/ 1,2-240/BI SCO	03	04		
1539567	SAC-5P-MS/25,0-920/FS SCO	01	02		
1563818	SAC-3P-MS/ 5,0-140 SCO SMI	02	03		
1409766	SAC-3P-MS/ 1,3-240/CI SCO	04	05		
1549340	SAC-4P-MS/ 2,0-170/FS SCO VL	04	05		
1404165	SAC-4P-40,0-500/FS SCO N-GR	01	02		
1549146	SAC-4P-30,0-170/FS SCO VL	03	04		
1549230	SAC-4P-MS/15,0-170/M 8FS SCOVL	04	05		
1549353	SAC-4P-MS/ 3,0-170/FS SCO VL	04	05		
1563795	SAC-3P-MS/20,0-140 SCO SMI	01	02		
1425789	SAC-5P-MS/ 6,0-923/FS CAN SCO	00	01		
1538885	SAC-3P-10,0-170/FR-2L SCO	04	05		
1692796	SAC-3P-MS/8,0-PUR/FS F8P LP	00	01		
1435962	SAC-5P-MS/ 5,0-923/FS SCO	02	03		
1692797	SAC-3P-MS/10,0-PUR/FS F8P LP	00	01		
1692798	SAC-3P-MS/12,0-PUR/FS F8P LP	00	01		
1403918	SAC-5P-MS/ 6,0-923/FS SCO	00	01		
1565230	SAC-3P-MS/ 8,0-140/FR SCO SMI	02	03		
1421497	SAC-5P-15,0-923/FS SCO	00	01		
1555949	SAC-4P-MS/ 2,0-170 SCO VL	04	05		
1565748	SAC-5P-MS/12,5-BF145/FSSH SO	03	04		
1549382	SAC-4P-MS/10,0-170/FS SCO VL	04	05		
1563799	SAC-3P-MS/25,0-140/FR SCO SMI	01	02		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1565638	SAC-4P- 1,0-140/FS SCO SMI	02	03		
1419040	SAC-5P-MS/ 5,0-923 CAN SCO	01	02		
1563643	SAC-3P-10,0-140/FS SCO SMI	02	03		
1565227	SAC-4P-MS/20,0-140 SCO SMI	01	02		
1565751	SAC-5P-MS/15,0-BF145/FSSH SO	03	04		
1409770	SAC-3P-MS/ 2,4-240/A-1L-Z SCO	03	04		
1549201	SAC-4P-MS/ 3,0-170/M 8FS SCOVL	03	04		
1409769	SAC-3P-MS/ 1,8-240/CI SCO	04	05		
1409771	SAC-3P-MS/ 2,6-240/A-1L-Z SCO	03	04		
1403842	SAC-4P-40,0-500/FR SCO N-GR	01	02		
1549191	SAC-4P-MS/ 2,0-170/M 8FS SCOVL	03	04		
1562107	SAC-5P-MS/ 1,5-100 SCO OBS	04	05		
1341349	SAC-2P-MS4P/2,5-PUR0,11 SCO LR	01	02		
1403857	SAC-4P-10,0-500/FR SCO N-GR	02	03		
1405716	SAC-4P-10,0-140/FS SCO SMI	01	02		
1549227	SAC-4P-MS/ 7,0-170/M 8FS SCOVL	03	04		
1403855	SAC-4P- 5,0-500/FR SCO N-GR	02	03		
1404855	SAC-5P-MR/ 2,0-PUR/FS SCO	03	04		
1537624	SAC-4P-MS/ 3,5-BF145 SCO	01	02		
1403856	SAC-4P-25,0-500/FR SCO N-GR	01	02		
1417272	SAC-8P-MR/ 3,0-PUR/FR SCO BK	02	03		
1538681	SAC-3P-MS/2,0-170/M 8FR-2L SCO	04	05		
1692793	SAC-3P-MS/6,0-PUR/FS F8P LP	00	01		
1403752	SAC-4P-10,0-500/FS SCO N-GR	02	03		
1414289	SAC-3P-MS/2,0-PUR/A-1L RD	01	02		
1404604	SAC-8P-3,0-PUR/FS BK SCO SI	03	04		
1231184	SAC-5P-MS/ 7,5-923/FR CAN SCO	00	01		
1404603	SAC-8P-5,0-PUR/FS BK SCO SI	03	04		
1538733	SAC-4P-MS/2,0-170/M 8FR-2L SCO	03	04		
1538924	SAC-4P-MS/10,0-170 SCO	05	06		
1052831	SAC-5P-MS/3,2-186 SCO SN	02	03		
1231170	SAC-5P-MS/ 3,0-923/FR CAN SCO	00	01		
1425430	SAC-5P-Y/2X1,5-PUR/A-1L-Z SCO	00	01		
1419071	SAC-5P-MS/15,0-923/FR CAN SCO	01	02		
1544675	SAC-4P- 5,0-170/FS SCO BK SO	04	05		
1419072	SAC-5P-MS/20,0-923/FR CAN SCO	01	02		
1419076	SAC-5P-MR/ 2,0-923/FR CAN SCO	01	02		
1419077	SAC-5P-MR/ 5,0-923/FR CAN SCO	01	02		
1419068	SAC-5P-MS/ 2,0-923/FR CAN SCO	01	02		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1419069	SAC-5P-MS/ 5,0-923/FR CAN SCO	01	02		
1419070	SAC-5P-MS/10,0-923/FR CAN SCO	01	02		
1419079	SAC-5P-MR/15,0-923/FR CAN SCO	01	02		
1563782	SAC-3P-MS/10,0-140 SCO SMI	02	03		
1537394	SAC-4P-MS/ 3,5-BF145P1+2Z1 SCO	01	02		
1401436	SAC-3P-MS/3,4-PUR/AD SCO CCS	04	05		
1438901	SAC-3P-MR/7,5-PUR/BI-1L-Z SCO	03	04		
1423726	SAC-5P-MS/ 1,5-923/FS CAN SCO	00	01		
1432253	SAC-4P-MS/ 6,0-JZ600 SCO	00	01		
1419081	SAC-5P- 2,0-923/FS CAN SCO	02	03		
1438891	SAC-3P-MR/5,0-PUR/BI-1L-Z SCO	03	04		
1226531	SAC-5P-MS/17,0-BF145/FSSH SO	01	02		
1439023	SAC-3P-MR/ 5,0-PUR/C-1L-Z SCO	02	03		
1453300	SAC-2P-MS/5,0-PUR/ZC-1L-S SCO	03	04		
1400677	SAC-3P-MS/ 1,0-PUR/BI-1L-R 180	02	03		
1538306	SAC-4P-MR/ 7,5-PUR/FR SCO	06	07		
1401669	SAC-8P- 5,0-100/FS SCO SMI	01	02		
1453287	SAC-2P-MS/1,5-PUR/ZC-1L-S SCO	03	04		
1400707	SAC-3P-MR/ 5,0-PUR/A-1L-Z SCO	05	06		
1401651	SAC-8P- 1,0-100/FS SCO SMI	01	02		
1439007	SAC-3P-MS/1,0-PUR/C-1L-Z SCO	02	03		
1439036	SAC-3P-MR/10,0-PUR/C-1L-Z SCO	02	03		
1449262	SAC-8P- 1,0-PUR/FR BK SCO	02	03		
1538319	SAC-4P-MR/10,0-PUR/FR SCO	06	07		
1400679	SAC-3P-MS/ 3,5-PUR/BI-1L-R 180	02	03		
1409016	SAC-3P-1,87-PUR/M12FR A8 D-HT	02	03		
1453290	SAC-2P-MS/3,0-PUR/ZC-1L-S SCO	03	04		
1400528	SAC-5P- 3,0-186/FS SCO	03	04		
1413481	SAC-2P-10,0-SK01/FS CLV SK	03	04		
1419054	SAC-5P-MS/10,0-923/FS CAN SCO	01	02		
1544400	SAC-3P- 3,0-PUR/FS SCO ST	04	05		
1401304	SAC-3P-MS/ 5,0-PUR/BI-1L-Z SCO	03	04		
1417640	SAC-4P-MSB/ 5,0-PUR SCO	02	03		
1419060	SAC-5P-MR/ 2,0-923/FS CAN SCO	01	02		
1432214	SAC-4P-MS/ 2,5-BF 145 SCO	00	01		
1432237	SAC-4P-MS/ 9,0-BF 145 SCO	00	01		
1421967	SAC-5P- 2,5-923/FS CAN SCO	00	01		
1425389	SAC-5P-MS/ 3,0-923/FS CAN SCO	00	01		
1419046	SAC-5P-MR/10,0-923 CAN SCO	01	02		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1419055	SAC-5P-MS/15,0-923/FS CAN SCO	01	02		
1400527	SAC-5P-MS/ 3,0-186/FS SCO	03	04		
1401256	SAC-4P-15,0-367/FR SCO	01	02		
1557756	SACC-MS-4QO-0,75-M SCO SMC	05	06		
1563766	SAC-3P-MS/15,0-140/FR SCO SMI	02	03		
1417639	SAC-4P- 5,0-PUR/FSB SCO	02	03		
1419045	SAC-5P-MR/ 5,0-923 CAN SCO	01	02		
1419052	SAC-5P-MS/ 2,0-923/FS CAN SCO	02	03		
1419053	SAC-5P-MS/ 5,0-923/FS CAN SCO	02	03		
1563669	SAC-3P-10,0-140/FR SCO SMI	02	03		
1402037	SAC-4P-MS/ 2,0-280/FS SCO VL	03	04		
1419056	SAC-5P-MS/20,0-923/FS CAN SCO	01	02		
1432224	SAC-4P-MS/ 6,0-BF 145 SCO	00	01		
1557743	SACC-MS-4QO-0,34-M SCO SMC	08	09		
1419058	SAC-5P-MR/ 0,5-923/FS CAN SCO	01	02		
1419073	SAC-5P-MR/ 0,3-923/FR CAN SCO	01	02		
1419066	SAC-5P-MS/ 0,5-923/FR CAN SCO	01	02		
1042842	SAC-5P-MR/ 0,6-PUR/FS SCO BK	01	02		
1419049	SAC-5P-MS/ 0,3-923/FS CAN SCO	02	03		
1433304	SAC-5P-MS-FR SCO/920/...	02	03		
1406704	SAC-4P-FS SCO V/.../...	01	02		
1419059	SAC-5P-MR/ 1,0-923/FS CAN SCO	01	02		
1419074	SAC-5P-MR/ 0,5-923/FR CAN SCO	01	02		
1419050	SAC-5P-MS/ 0,5-923/FS CAN SCO	01	02		
1419067	SAC-5P-MS/ 1,0-923/FR CAN SCO	01	02		
1419065	SAC-5P-MS/ 0,3-923/FR CAN SCO	01	02		
1419051	SAC-5P-MS/ 1,0-923/FS CAN SCO	02	03		
1419075	SAC-5P-MR/ 1,0-923/FR CAN SCO	01	02		
1419057	SAC-5P-MR/ 0,3-923/FS CAN SCO	01	02		
1406702	SAC-3P-FS SCO V/.../...	01	02		
1433317	SAC-5P-MR-FS SCO/920/...	02	03		
1549638	SAC-4P-M 8MS/0,5-170/FS SCO VL	04	05		
1549175	SAC-4P-MS/ 0,4-170/M 8FS SCOVL	04	05		
1549188	SAC-4P-MS/ 1,0-170/M 8FS SCOVL	04	05		
1209885	SAC-8P-M12MS 120 TR 2/3	02	03		
1538762	SAC-4P-MS/0,6-170/M 8FR-2L SCO	03	04		
1538131	SAC-5P-FS SCO/920/...	02	03		
1538157	SAC-5P-MS-FS SCO/920/...	02	03		
1433320	SAC-5P-MR-FR SCO/920/...	02	03		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1433281	SAC-5P-MR SCO/920/...	02	03		
1433294	SAC-5P-FR SCO/920/...	02	03		
1410498	SAC-8P-MS/ 0,3-PUR SCO BK 0,06	03	04		
1556074	SAC-4P-MS/ 0,5-170/FS SCO VL	04	05		
1549544	SAC-3P-MS/ 0,2-170/FS SCO VL	03	04		
1426497	SAC-3P-Y/2X0,25-240/FS SCO	00	01		
1423251	SAC-4P-Y/2X0,3-280/FS VP SCO	01	02		
1416157	SAC-MS/0,3PVC/BI-1LZ110V BK180	02	03		
1413311	SAC-5P-Y/2X0,6-500/C-1L-Z SCO	02	03		
1411498	SAC-3P-MS/1,0-PUR/A-1L RD	02	03		
1409734	SAC-4P-MS/1,0-140/8PFS SCO SMI	01	02		
1411039	SAC-5P-FY/0,2-PURM8MSFSB3	04	05		
1410062	SAC-3P-MS/0,7-240/A SCO J-YM	03	04		
1410061	SAC-3P-MS/0,9-240/A SCO J-YM	03	04		
1401670	SAC-8P-10,0-100/FS SCO SMI	01	02		
1401337	SAC-3P-MS/ 1,0-PUR/BI-1L-Z SCO	03	04		
1402292	SAC-5P-Y/2X0,6-PUR/C-1L-Z SCO	01	02		
1400473	SAC-4P-MS/ 0,3-186/FS SCO LP	01	02		
1167956	SAC-3P-MS/0,6-PUR/A-1L-V 24-12	01	02		
1424157	SACC-MS-4QO-0,75-M SCO MX	02	03		
1301572	SACC-MS-4QO-0,75-M SCO SK	00	01		
1301581	SACC-FS-4QO-0,75-M SCO SK	00	01		
1400698	SAC-3P-MS/1,0-PUR/A-1L-Z SCO	04	05		
1413519	SAC-MS/ 1,5/0,1-116/2XA-1L-Z	02	03		
1453261	SAC-2P-MS/0,3-PUR/ZC-1L-S SCO	03	04		
1453274	SAC-2P-MS/0,6-PUR/ZC-1L-S SCO	03	04		
1566491	SAC-2P-MS/0,25-PUR/ZC-1L-S STS	01	02		
1563494	SAC-3P-Y/2X1,0-140/FS SCO SMI	02	03		
1563641	SAC-3P-MS/ 1,0-140/FS SCO SMI	02	03		
1544060	SAC-4P-Y/2X0,3-PUR/FS VP SCO	04	05		
1557798	SAC-3P-Y/2XM 8FS SMC	05	06		
1563740	SAC-4P-Y/2X1,0-140/FSVPSCO SMI	02	03		
1571716	SAC-3P-MS/1,0-140/4PM8FSSCOSMI	01	02		
1563834	SAC-3P-MS/ 1,0-140 SCO SMI	02	03		
1400903	SAC-3P-MS-B SCO/.../...	03	04		
1301548	SACC-FS-4QO-0,34-M SCO SK	00	01		
1327236	SACC-MS-4QO-0,34-M SCO VPE150	00	01		
1061950	SACC-MS-4QO-0,34-M SCO Q-LOGO	01	02		
1301528	SACC-MS-4QO-0,34-M SCO SK	00	01		

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com

Item		Hardware / Firmware		Substitute item	
Item no.	Type	old	new	Item no.	Type
1441118	SAC-3P-MS-BI-1L-Z180 SCO/.../...	02	03		
1435959	SAC-5P-MS/ 1,0-923/FS SCO	02	03		
1435674	SAC-3P-MR-C-1L-Z SCO/.../...	02	03		
1435629	SAC-3P-MS-C-1L-Z SCO/.../...	02	03		
1435470	SAC-3P-MS-CI-1L-Z SCO/.../...	03	04		
1435373	SAC-3P-MR-B-1L-Z SCO/.../...	02	03		
1435328	SAC-3P-MS-B-1L-Z SCO/.../...	02	03		
1435221	SAC-3P-MR-BI-1L-Z SCO/.../...	02	03		
1435179	SAC-3P-MS-BI-1L-Z SCO/.../...	02	03		
1435072	SAC-5P-MS-AD-2L SCO/.../...	03	04		
1434976	SAC-3P-MR-A-1L-Z SCO/.../...	03	04		
1434921	SAC-3P-MS-A-1L-Z SCO/.../...	03	04		
1426161	SAC-5PY-0,15FS/2X1,15-920MS-FS	03	04		
1405043	SAC-5P-MS/ 0,204-923 SCO MET	00	01		
1422555	SAC-5P- 1,0-923/FS CAN SCO	01	02		
1422553	SAC-5P-MS/ 1,0-923 CAN SCO	00	01		
1417834	SAC-3P-MR-A-1L-R SCO/.../...	01	02		
1400920	SAC-3P-MR-C SCO/.../...	03	04		
1400919	SAC-3P-MS-C SCO/.../...	03	04		
1417833	SAC-3P-MS-A-1L-R SCO/.../...	01	02		
1400916	SAC-3P-MS-CI SCO/.../...	04	05		
1400901	SAC-3P-MR-BI SCO/.../...	03	04		
1400900	SAC-3P-MS-BI SCO/.../...	03	04		
1400898	SAC-4P-MS-AD SCO/.../...	04	05		
1400896	SAC-3P-MR-A SCO/.../...	04	05		
1400895	SAC-3P-MS-A SCO/.../...	04	05		
1400892	SAC-3P-MS-C-1L-V SCO/.../...	03	04		
1400889	SAC-3P-MS-CI-1L-V SCO/.../...	04	05		
1400880	SAC-3P-MS-B-1L-V SCO/.../...	03	04		
1400878	SAC-3P-MR-BI-1L-V SCO/.../...	03	04		
1400877	SAC-3P-MS-BI-1L-V SCO/.../...	03	04		
1400875	SAC-3P-MR-A-1L-V SCO/.../...	04	05		
1400874	SAC-3P-MS-A-1L-V SCO/.../...	04	05		
1416172	SAC-5P-MR/ 0,2-923/FR CAN SCO	00	01		
1419030	SAC-5P- 5,0-923/FS CAN SCO	01	02		

2026-10-1 VDMA24903_1.0

Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8
32825 Blomberg, DE

Tel.: +49 (0) 5235 3-00
Fax: +49 (0) 5235 3-41200
E-Mail: info@phoenixcontact.com

phoenixcontact.com